

\*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

**Capsimax®**

Capsimax® trademark belongs to OmniActive Health Technologies.

KEEP OUT OF REACH OF CHILDREN.  
Store in a cool, dry place.

Distributed by:  
General Nutrition Corporation  
Pittsburgh, PA 15222 USA

**GNC**  
PRO PERFORMANCE®  
**AMP**

**GOLD SERIES**  
**THERMO**

- High-Energy Thermogenic
- Supports Metabolism & Calorie Burning\*
- Supports workout performance and mental alertness\*

DIETARY SUPPLEMENT  
60 TABLETS

**AMP**

CODE 726086

DIRECTIONS: As a dietary supplement, take two tablets daily with food.

## Supplement Facts

Serving Size Two Tablets  
Servings Per Container 30

Amount Per Serving	% Daily Value	
Niacin	20 mg	125%
Ginger Root Extract ( <i>Zingiber officinale</i> )(5% Gingerols = 25 mg)	500 mg	*
Turmeric Root Powder ( <i>Curcuma longa</i> )	250 mg	*
L-Carnitine (as L-Carnitine L-Tartrate)	240 mg	*
Green Coffee Bean Extract ( <i>Coffea sp.</i> )(45% Chlorogenic Acids = 90 mg)	200 mg	*
Coffee Bean Extract ( <i>Coffea arabica</i> )(98% Caffeine = 151.9 mg)	155 mg	*
Cinnamon Bark Extract ( <i>Cinnamomum zeylanicum</i> )(15% Polyphenols = 15 mg)	100 mg	*
Capsimax® Fruit Extract ( <i>Capsicum annuum</i> )	100 mg	*
L-Citrulline	30 mg	*
Piper longum Fruit Extract	2 mg	*

\* Daily Value not established.

**OTHER INGREDIENTS:** Microcrystalline Cellulose, Hydroxypropylcellulose, Croscarmellose Sodium, Povidone, Stearic Acid Vegetable Source, Magnesium Stearate Vegetable Source, Hydroxypropyl Methylcellulose, Silicon Dioxide, Guar Gum, Vegetable Acetoglycerides, Polyethylene Glycol, Carnauba Wax, Polysorbate 80, Carmine (Color), Red Cabbage Juice Powder (Color), Cellulose, Acacia, Maltodextrin, Methacrylic Acid Copolymer, Sucrose, Triacetin.

This product contains 151.9 mg of caffeine per serving.

**WARNING:** Consult your physician prior to using this product if you are pregnant, nursing, taking medication, or have a medical condition. Discontinue use two weeks prior to surgery.

Conforms to USP <2091> for weight.



LS6

Lot No./Best By: