KEEP OUT OF REACH OF CHILDREM.
Store in a cool, dry place.
For More Information:
1-888-462-2548
GMC.com
Distributed by:
General Nutrition Corporation
Pittsburgh, PA 15222 USA
ArginMax® is a registered
trademark of the The Daily

Wellness Company® licensed

to GNC





ArginMax®

Multivitamin to support sexual health*
Stimulates sexual desire*



DIETARY SUPPLEMENT

90 CAPLETS/15-DAY SUPPLY

CODE 236912 EDIRECTIONS FOR ADULT USE: As a dietary supplement, take three caplets twice daily with 8 ounces of

water. ArginMax" works naturally with your body, and while some may experience results earlier, use continuously for at least four weeks for maximum results.

Supplement	Facts	Amount Per Serving	% Daily Value	
Serving Size Six Caplets		Folate6		
Servings Per Container 15			Folic Acid)	
	0/ P '' W I	Vitamin B-12 (as Cyanocobalamin)	6 mcg250%	
Amount Per Serving	% Daily Value	Biotin	300 mcg1000%	
Calories		Pantothenic Acid(as Calcium d-Pantothenate)	10 mg200%	
Total Carbohydrate		Calcium (as Calcium Carbonate)	500 mg 38%	
Dietary Fiber	1.5 g 5%†	Iron (as Ferrous Gluconate)		
Vitamin A (as Retinyl Palmitate)	1500 mcg 16/%	Zinc (as Zinc Gluconate)		
Vitamin C (as Ascorbic Acid)			,	
Vitamin E				á
(as Natural d-alpha Tocopheryl Suc		Asian Ginseng Extract	100 mg*	+
Thiamin (Vitamin B-1)	1.5 mg125%			ď
(as Thiamin Mononitrate)		Ginkgo biloba Extract (Leaf)	*	a
Riboflavin (Vitamin B-2)	1.7 mg131%	Damiana Leaf Powder (Turnera diffi	usa)50 mg*	
Niacin (as Niacinamide)	20 mg 125%	1 D 1 D 1 1 1 1	- 0.000	N
Vitamin B-6	118%	Percent Daily Values are based on	a 2,000 catorie diet.	ŧ
(as Pyridoxine Hydrochoride)		* Daily Value not established.		-
THER INGREDIENTS: Microcrystalline Cellulose, Maltodextrin, Hydroxypropyl Methylcellulose, Stearic				

Acid Vegetable Source, Talc, Silicon Dioxide,Croscarmellose Sodium,
Vegetable Acetoglycerides, Magnesium Stearate Vegetable Source, Polyethylene Glycol. Ethylcellulose.

Polysorbate 80, Carnauba Wax, Triacetin, Diacetylated Monoglycerides, Oleic Acid.

WARHING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

WARNING: Consult your physician prior to using this product if you are pregnant, nursing, taking medication, or have a medical condition. Discontinue use two weeks prior to surgery, Inform your physician of this product's biotin content before any lab test. Miscin may cause a temporary flushing reaction.

*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.